

PRODUCT GUIDE 2026



STRAHL'S
EXP
transfer express



welcome to

STAHL'S



transfer express.

Our mission is simple - we are here to help you grow your apparel decorating business. Whether you are just starting out or a veteran of the industry, our heat transfer products are designed to help you succeed. When you choose Transfer Express®, you're working with the industry leader in custom screen and digital print transfers. We provide excellent support, speedy service, extensive marketing and educational tools, and the most innovative products on the market.

stay connected!

Want more information, tips, tricks, and inspiration for all things heat printing? Connect with us! We love sharing ideas and connecting with our partners in apparel decorating.



Table of Contents

04 choosing a transfer product

- 04 All About Heat Transfers
- 06 What to Use When Chart

07 screen printed transfers

- 08 Goof Proof®
- 09 Goof Proof® Premium
- 10 Goof Proof® Watermark
- 11 Hot Split Retro
- 12 Elasti Prints®
- 13 Silicone
- 14 Puff
- 15 Glow-in-the-Dark
- 16 Reflective
- 17 AquaTru®

18 full color transfers

- 19 UltraColor MAX™
- 20 UltraColor PRO™
- 21 UltraColor Stretch™
- 22 UltraColor Stretch™ with Blocker

23 emblems + patches

- 24 Embroidered
- 25 3D Embroidered
- 26 Flexbroidery
- 27 Woven
- 28 Print Stitch
- 29 FlexStyle®
- 30 PVC
- 31 Chenille
- 32 Genuine Leather
- 33 Faux Leather

34 screen printed names + numbers

- 35 Express Names™
- 36 Numbers

38 heat transfer vinyl

- 38 Finishes & Sizes

39 grow your business

- 40 Easy View® Online Designer
- 41 Marketing Materials
- 42 Gang Sheets
- 43 Profitable Layouts
- 44 Wholesale Apparel
- 45 Heat Press Comparison

46 ordering

- 46 How to Order
- 47 Turnaround Times



heat transfers are the **Ultimate Printing Choice**

Transfers apply in seconds! There's no need for significant capital investment or a large space for manufacturing. Pick a corner in a room, set up your heat press, and start making money.

Simply set your shirt on the press, position the transfer, and apply. The result is a quality-printed product that will last the life of the garment - lab tested and guaranteed!

With heat transfers you can print on t-shirts, hoodies, pants, shoes, bags, can coolers, and more. The versatility of heat transfers makes it possible to decorate countless items.



Transfer Types

screen printed transfers

Screen printed transfers, also known as plastisol or water-based transfers, are printed using plastisol or water-based inks onto a special release paper or film instead of a garment. The carrier release paper allows the ink design to transfer to the garment upon heat application. When applied properly, screen printed transfers will last the life of the garment.




full color transfers

The latest transfer technology combines screen print and full color digital inks to produce a transfer that is the best of both worlds: the feel and durability of a screen print transfer paired with the characteristics of a full color transfer. Welcome to the revolution of apparel decoration!

What To Use When

Take the guesswork out of choosing the best transfer type for your job or project. This handy chart outlines which transfer will give you the best results and profit margins.

Apparel Quantity (based on one full-front design)



transfer selector tool

Use our [intuitive tool](#) to ensure transfer compatibility with your chosen fabric while optimizing your profit margin. We'll recommend the most cost-effective decoration technique, making every project a success.

real ink. real fast.

Screen Printed Transfers

- Keep your screen printing in house.
- We print it, you profit.
- Phthalate-free plastisol ink.
- Durable, classic feel.
- Gang sheets and quantity price breaks for cost-effective pricing.



Goof Proof®

screen printed transfers

OEKO
TEX®

STANDARD
100
22.HUS.46520
Hohenstein HTI

Easy Prints® Layout:

QVA-37



Goof Proof® is our best-selling product and the go-to transfer for most of your decoration needs. Offering the soft hand of plastisol ink, Goof Proof® applies quickly and offers superior opacity. Choose from two sheet sizes (11.25" x 14" and 12.5" x 17.5") or single image sizes (12.75" x 9" and 11" x 14") and over 70 phthalate-free stock ink colors.

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends

1

Preheat Your Apparel

Place your apparel on the platen and press for 3-5 seconds.

2

Position Transfer & Press

Place the transfer ink-side down on the apparel. Close and press.

3

Peel Transfer Carrier

Peel off the backing quickly in a smooth, even motion.

Application

SINGLE COLOR:

100% cotton & cotton/poly blends

Set Your Heat Press

Temperature: 365°F

Time: 4-6 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 4-6 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing immediately in a smooth, even motion.

SINGLE COLOR (LOWER TEMP):

100% polyester

Set Your Heat Press

Temperature: 325°F

Time: 10-12 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 10-12 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing immediately in a smooth, even motion.

MULTI COLOR:

Set Your Heat Press

Temperature: 365°F

Time: 10 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 10 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing immediately in a smooth, even motion.

Do not use a pillow or cover sheet for initial application.

► transferexpress.com/goof-proof

► transferexpress.com/ink-colors

Goof Proof® Premium

clear carrier. premium results.



The wait is over! Goof Proof® Premium takes your favorite transfer to the next level with a clear carrier that makes placement on shirts faster and easier than ever. Goof Proof® Premium delivers shine-free, vibrant prints in 26 bold colors. With a 12.5" x 17.5" sheet size, this is the go-to choice for durability, affordability, and top-notch results!

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends

- 1 Preheat Your Apparel**
Place your apparel on the platen and press for 3-5 seconds.
- 2 Position Transfer & Press**
Place the transfer ink-side down on the apparel. Close and press.
- 3 Peel Transfer Carrier**
Peel off the backing quickly in a smooth, even motion.

Application

Set Your Heat Press

Temperature: 320°F
Time: 10 Seconds
Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel.
Close machine and press for 8-10 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing, immediately, in a smooth and even motion.

Ink Colors

BLACK	WHITE	RED	MAROON	TENNESSEE ORANGE
ORANGE	TEXAS ORANGE	YELLOW	GOLD	MAIZE
VEGAS GOLD	METALLIC GOLD	KELLY GREEN	DARK GREEN	CAROLINA BLUE
COLUMBIA BLUE	MID BLUE	ROYAL	MIDNIGHT BLUE	NAVY BLUE
PURPLE	CEMENT 427 C	METALLIC SILVER	GREY	CHARCOAL
NEON PINK				

Goof Proof® Watermark

add a subtle shine that makes any design pop



Goof Proof® Watermark takes our best-selling Goof Proof® transfer to the next level. Using a special-effect gloss ink, it creates a sleek, watermarked finish that catches light and highlights artwork details – no extra equipment or complicated steps required.

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends

- 1** Preheat Your Apparel
Place your apparel on the platen and press for 3-5 seconds.
- 2** Position Transfer & Press
Place the transfer ink-side down on the apparel. Close and press.
- 3** Peel Transfer Carrier
Peel off the backing quickly in a smooth, even motion.

Application

Set Your Heat Press

Temperature: 320°F
Time: 10 Seconds
Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel.
Close machine and press for 8-10 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing, immediately, in a smooth and even motion.

Ink Colors

BLACK	WHITE	RED	MAROON	TENNESSEE ORANGE
ORANGE	TEXAS ORANGE	YELLOW	GOLD	MAIZE
VEGAS GOLD	METALLIC GOLD	KELLY GREEN	DARK GREEN	CAROLINA BLUE
COLUMBIA BLUE	MID BLUE	ROYAL	MIDNIGHT BLUE	NAVY BLUE
PURPLE	CEMENT 427 C	METALLIC SILVER	GREY	CHARCOAL
NEON PINK				

Hot Split Retro

screen printed transfers

OEKO
TEX®
STANDARD
100
22.HUS.46520
Hohenstein HTTI

Easy Prints® Layout:

QAL-647



Hot Split Retro is screen printed without adhesive so the ink melts into the apparel fabric, resulting in a plastisol transfer with an incredibly soft, light feel. This transfer is ideal for thin fabrics and provides less opacity than other transfers, which helps give a fashionable and vintage vibe.

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blend

- 1 Preheat Your Apparel**
Place your apparel on the platen and press for 3-5 seconds.
- 2 Position Transfer & Press**
Place the transfer ink-side down on the apparel. Close and press.
- 3 Peel Transfer Carrier**
Peel off the backing in a smooth, even motion.

Application

Set Your Heat Press

Temperature: 360-375°F

Time: 8-10 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.

Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel.

Close machine and press for 8-10 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing, immediately, in a smooth and even motion.

Tips:

• Large, Solid Ink Areas

Hot Split Retro is ideal if you have large ink areas in your design. The ink will melt into the fibers of the shirt, giving a soft hand feel without the heaviness.

• Light Ink colors

A few of our stock colors, Gold, Yellow, Tan, and the Neon colors, will not show up well on dark garments when using the Hot Split Retro ink formula. For those colors, we recommend switching to Goof Proof®. All other colors in Hot Split Retro will work on all colored apparel.

Do not use a pillow or cover sheet for initial application.

► transferexpress.com/hot-split

► transferexpress.com/ink-colors

Elasti Prints®

screen printed transfers

OEKO
TEX®
STANDARD
100
22.HUS.46520
Hohenheim HT1

Easy Prints® Layout:

QFB-255



Turn down the heat on performance wear! This screen printed heat transfer has a low temperature application designed to reduce scorching and is perfect for 100% polyester uniforms, bags, and moisture-wicking apparel. There are two sheet sizes available (11.25" x 14" and 12.5" x 17.5") to maximize your cost efficiency.

Recommended Fabrics: 100% Polyester

1

Preheat Your Apparel

Place your apparel on the platen and press for 3-5 seconds.

2

Position Transfer & Press

Place the transfer ink-side down on the apparel. Close and press.

3

Peel Transfer Carrier

Peel off the backing in a smooth, even motion.

Application

Set Your Heat Press

Temperature: 290°F

Time: 15 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel.
Close machine and press for 15 seconds.

3. Peel Transfer Carrier **COLD**

Open machine and peel off the backing, once the carrier is cold to the touch, in a smooth and even motion.

Tips:

• Cold Peel

You can peel the carrier anytime after 2-3 minutes, as long as the carrier has cooled down and is no longer retaining heat. Your results will be the same regardless of when you peel.

• Outline Required On Art

Make sure all edges of your multi-colored artwork, both inside and along the perimeter, have the same colored outline. You can add a clear outline in the 'Options' screen of Easy View®, but keep in mind that this will be counted as an additional color in your screen print pricing.

Do not use a pillow or cover sheet for initial application.

► transferexpress.com/elasti-prints

► transferexpress.com/ink-colors

Silicone

screen printed transfers



Decorate sublimated polyester and performance fabrics with confidence. Silicone screen printed transfers deliver a smooth, ultra-matte finish that stretches, resists water, and blocks dye migration. Designed with a clear carrier for effortless placement, these transfers are available as single images or ganged on an 11.5" x 18" sheet - giving you the flexibility to print your way.

Recommended Fabrics: Ideal for performance wear made of polyester, spandex, Lycra®, and woven nylons including sublimated apparel. Also applies to cotton, poly/cotton blends, and tri-blends.

1 Preheat Your Apparel

Place your apparel on the platen and press for 3-5 seconds.

2 Position Transfer & Press

Place the transfer ink-side down on the apparel. Close and press.

3 Peel Transfer Carrier

Peel off the backing quickly in a smooth, even motion.

Application

Set Your Heat Press:

Temperature: 290°F

Time: 15 Seconds

Pressure: Medium, 4-5 (40-50 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink side down on the apparel.
Cover transfer with provided cover sheet to eliminate static (do not use Teflon).
Close machine and press for 15 seconds.

3. Peel Transfer Carrier **COLD**

Open machine and peel off the backing, once the carrier is cold to the touch, in a smooth and even motion.

Tips:

• Cold Peel

You can peel the carrier anytime after 2-3 minutes, as long as the carrier has cooled down and is no longer retaining heat. Your results will be the same regardless of when you peel.

• After First Press

If edges are raising or appearance of slight adhesive outline is more defined due to fabric color, lay cover sheet over the transfer, repress for 10-15 seconds, then immediately remove cover sheet.

• Post Application Instruction

Wash garment inside out.

Ink Colors

BLACK

WHITE

Puff

screen printed transfers

OEKO
TEX®

STANDARD
100
22.HUS.46520
Hohenheim HT1



Easy Prints®
Layout:
QCL-59



Standard plastisol ink is paired with a puff print additive to give a unique 3D effect after heat application. Puff ink can be combined with your favorite Goof Proof® ink colors for a heightened dimensional finish. Puff works best with large, bold designs and is perfect for fashionable apparel. Available in 66 stock colors.

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends

1

Preheat Your Apparel

Place your apparel on the platen and press for 3-5 seconds.

2

Position Transfer & Press

Place the transfer ink-side down on the apparel. Close and press.

3

Peel Transfer Carrier

Peel off the backing quickly in a smooth, even motion.

Application

SINGLE PUFF COLOR:

Set Your Heat Press

Temperature: 360-370°F

Time: 5 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 5 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing immediately in a smooth, even motion.

2 COLOR (PUFF + GOOF PROOF® COMBO):

Set Your Heat Press

Temperature: 360-370°F

Time: 10 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 10 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing immediately in a smooth, even motion.

Do not use a pillow, cover sheet, or lower platen cover for initial application. Do not double press once applied.

Glow-In-The-Dark

screen printed transfers



Easy Prints®
Layout:
QAL-662



Create fun effects for holidays, special events, and more with Glow-in-the-Dark transfers! With a white appearance in daylight and a bright green glow in the dark, use on dark apparel for the best results.

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends

- 1 Preheat Your Apparel**
Place your apparel on the platen and press for 3-5 seconds.
- 2 Position Transfer & Press**
Place the transfer ink-side down on the apparel. Close and press.
- 3 Peel Transfer Carrier**
Peel off the backing quickly in a smooth, even motion.

Application

Set Your Heat Press

Temperature: 340°F
Time: 10 Seconds
Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel.
Close machine and press for 10 seconds.

3. Peel Transfer Carrier **WARM**

Open machine and peel off the backing after 5 seconds in a smooth, even motion.

Tips:

- **Dark Fabrics**
This transfer works best on dark-colored apparel.
- **Recharging Your Glow**
The transfers glow properties can be recharged by normal room lighting or when outside in the daylight.

Do not use a pillow or cover sheet for initial application.

Reflective

screen printed transfers

OEKO
TEX®

STANDARD
100
22.HUS.46520
Hohenstein HTTI



Whether for safety or fashion, be seen with reflective screen printed transfers. Printed with water-based, screen printed ink for durability and a soft hand, these transfers provide a reflective luminance of 400-450 CD. Reflective transfers are metallic silver in the daylight while reflecting direct light at night.

1 Preheat Your Apparel

Place your apparel on the platen and press for 3-5 seconds.

2 Position Transfer & Press

Place the transfer ink-side down on the apparel. Close and press.

3 Peel Transfer Carrier

Peel off the backing in a smooth, even motion.

Application

Cotton, Polyester, Cotton/Poly Blends.

Set Your Heat Press

Temperature: 315°F

Time: 15 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.

Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel.

Close machine and press for 15 seconds.

3. Peel Transfer Carrier **COLD**

Open machine and peel off the backing, once the carrier is cold to the touch, in a smooth and even motion.

Tips:

• Cold Peel

You can peel the carrier anytime after 2-3 minutes, as long as the carrier has cooled down and is no longer retaining heat. Your results will be the same regardless of when you peel.

• Ideal Transfer For Emergency Services Apparel

Pair this transfer type with any of our Police, Fire, or EMS layouts in our Easy View® online designer.

Do not use a pillow or cover sheet for initial application.

► transferexpress.com/reflective

► transferexpress.com/ink-colors

Aquatrū®

the go-to transfer for performance

OEKO
TEX®
STANDARD
100
22.HUS.46520
Hohenheim HT1



AquaTru® is a **water-based, screen-printed transfer** designed for performance. With superior stretch and rebound, dye-blocking capabilities, fine detail, and low temperature application, these durable transfers deliver no matter the design, placement, fabric, or order.

Recommended Fabrics: Cotton, Polyester, Triblend, Spandex/Lycra®, Woven Nylon.

1

Preheat Your Apparel

Place your apparel on the platen and press for 3-5 seconds.

2

Position Transfer & Press

Place the transfer ink-side down on the apparel. Close and press.

3

Peel Transfer Carrier

Peel off the backing in a smooth, even motion.

Application

Set Your Heat Press:

Temperature: 305°F

Time: 15 Seconds

Pressure: Medium, 4-5 (40-50 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink side down on the apparel.
Cover transfer with provided cover sheet to eliminate static (do not use Teflon).
Close machine and press for 15 seconds.
Open machine and immediately peel off the carrier.

3. Repress With Cover Sheet

Place provided cover sheet covering the transferred design. Close machine and press for 15 seconds. Open machine and immediately peel off the carrier.

Tips:

• Thicker Line Weights

The minimum line thickness is .042" or .063" when ordering blocker. Show-through areas should be a minimum of .028".

• During Application

Do not use pillows or any pressing aids that may prevent flat, even pressure.

• Post Application Instruction

Allow the garment to sit for 24 hours.

BLACK	WHITE	RED	MAROON	TENNESSEE ORANGE
ORANGE	TEXAS ORANGE	YELLOW	GOLD	MAIZE
VEGAS GOLD	METALLIC GOLD	KELLY GREEN	DARK GREEN	CAROLINA BLUE
COLUMBIA BLUE	MID BLUE	ROYAL	MIDNIGHT BLUE	NAVY BLUE
PURPLE	CEMENT 427 C	METALLIC SILVER	GREY	CHARCOAL
NEON PINK				

► transferexpress.com/aquatrū

► transferexpress.com/ink-colors

ULTRACOLOR® Full Color Transfers

- No limit on colors
- Great for fine detail & free floating text
- Soft, high end feel
- Options for sheets or pieces
- Options for any fabric
- Print any location




DIRECT TO FILM TRANSFERS ULTRACOLOR[®] MAX[™]

OEKO
TEX[®]

STANDARD
100
22.HUS.46520
Hohenheim HT11

Easy Prints[®] Layout:

QEV-230



UltraColor MAX[™] is a direct to film transfer that offers realistic photo quality, fine detail, and achievable color gradients. These DTF transfers provide one-step, hot peel, low temperature application to reduce scorching. With no minimum order and a fast turnaround—your order will ship by the following business day!

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends, Spandex, Lycra[®], Triblend

1

Preheat Your Apparel

Place your apparel on the platen and press for 3-5 seconds.

2

Position Transfer & Press

Place the transfer ink-side down on the apparel. Close and press.

3

Peel Transfer Carrier

Peel off the backing quickly in a smooth, even motion.

Application

Set Your Heat Press

Temperature: 275°F

Time: 12-15 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel.
Close machine and press for 12-15 seconds.

3. Peel Transfer Carrier **COLD**

Open machine and peel off the backing immediately in a smooth and even motion.

Do not use a pillow or cover sheet for initial application.

Tips:

Keep the silica gel pack stored with your unused UltraColor MAX[™] transfers to keep moisture removed from transfers

NEW! FREE Ground Shipping on all UltraColor MAX[™] totaling more than \$149 in the cart.

NEW! EasyRip[™] Service - EasyRip[™] features precision perforation that allows you to easily tear apart transfers — no scissors required. New options based on UltraColor MAX[™] cart total:

- UltraColor MAX[™] cart totals of \$300+ - EasyRip[™] available at no additional charge
- Cart totals of \$150–\$299.99 - EasyRip[™] available for \$0.20 per image
- Production Timing - Orders including EasyRip[™] will require 1 additional production day



**Easy Prints[®]
Layout:
3D-508**



This digital screen printed transfer is a hybrid full color transfer that combines digitally printed graphics with a screen print backing. UltraColor Pro[™] transfers provide a clean edge, full color print, with a soft hand. When you need a full color transfer in a large quantity, UltraColor Pro[™] is the product to choose in the UltraColor[®] full color transfer line.

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends

1**Preheat Your Apparel**

Place your apparel on the platen and press for 3-5 seconds.

2**Position Transfer & Press**

Place the transfer ink-side down on the apparel. Close and press.

3**Peel Transfer Carrier**

Peel off the backing quickly in a smooth, even motion.

Application**100% COTTON, COTTON/POLY BLENDS****Set Your Heat Press**

Temperature: 340°F

Time: 10 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 10 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing immediately in a smooth, even motion.

100% POLYESTER/SYNTHETICS**Set Your Heat Press**

Temperature: 290°F

Time: 15 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 15 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing immediately in a smooth, even motion.


Do not use a pillow or cover sheet for initial application.

Ultracolor StretchTM

digital screen printed transfers

OEKO
TEX®
STANDARD
100
22.HUS.46520
Hohenstein HTTI

**Easy Prints®
Layout:**
Custom



This digital screen print transfer is everything you love about UltraColor® paired with industry-leading stretch and rebound ability. Created with a water-based ink formula, this is the ultimate solution for decorating performance wear. UltraColor StretchTM also features a clear outline around the design for added adhesion to the applied apparel.

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends, Spandex, Lycra®, Woven Nylon.

- 1 Preheat Your Apparel**
Place your apparel on the platen and press for 3-5 seconds.
- 2 Position Transfer & Press**
Place the transfer ink-side down on the apparel. Close and press.
- 3 Peel Transfer Carrier**
Peel off the backing in a smooth, even motion.

Application

COTTON/ COTTON/POLY BLEND:

Set Your Heat Press

Temperature: 340-360°F
Time: 12-15 Seconds
Pressure: Medium, 6 (60 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press 3-5 seconds to remove moisture.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 12-15 seconds.

3. Peel Transfer Carrier **COLD**

Open machine and peel off the backing, once the carrier is cold to the touch, in a smooth and even motion.

POLYESTER/SYNTHETICS:

Set Your Heat Press

Temperature: 290-320°F
Time: 12-15 Seconds
Pressure: Medium, 6 (60 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press 3-5 seconds to remove moisture.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 12-15 seconds.

3. Peel Transfer Carrier **COLD**

Open machine and peel off the backing, once the carrier is cold to the touch, in a smooth and even motion.

Use a cover sheet to remove static. Do not use a pillow.

► transferexpress.com/ultracolor-stretch

► transferexpress.com/ink-colors

digital screen printed transfers

Ultracolor Stretch™

with blocker

OEKO
TEX®
STANDARD
100
22.HUS.46520
Hohenheim HT11



Prevent dye migration with this powerful bleed-blocking formula. The special blocking technology and high opacity inks allow you to decorate heavily-dyed polyester and sublimated fabrics with confidence. UltraColor Stretch™ with Blocker is also approved for industrial/commercial laundering.

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends, Spandex, Lycra®, Woven Nylon.

- 1 Preheat Your Apparel**
Place your apparel on the platen and press for 3-5 seconds.
- 2 Position Transfer & Press**
Place the transfer ink-side down on the apparel. Close and press.
- 3 Peel Transfer Carrier**
Peel off the backing in a smooth, even motion.

Application

COTTON/ COTTON/POLY BLEND:

Set Your Heat Press

Temperature: 340-360°F
Time: 12-15 Seconds
Pressure: Medium, 6 (60 psi)

- 1. Preheat Your Apparel**
Place apparel on platen.
Press 3-5 seconds to remove moisture.
- 2. Position Your Transfer & Press**
Place the transfer ink-side down on apparel. Close machine and press for 12-15 seconds.
- 3. Peel Transfer Carrier COLD**
Open machine and peel off the backing, once the carrier is cold to the touch, in a smooth and even motion.

POLYESTER/SYNTHETICS:

Set Your Heat Press

Temperature: 290-320°F
Time: 12-15 Seconds
Pressure: Medium, 6 (60 psi)

- 1. Preheat Your Apparel**
Place apparel on platen.
Press 3-5 seconds to remove moisture.
- 2. Position Your Transfer & Press**
Place the transfer ink-side down on apparel. Close machine and press for 12-15 seconds.
- 3. Peel Transfer Carrier COLD**
Open machine and peel off the backing, once the carrier is cold to the touch, in a smooth and even motion.

Use a cover sheet to remove static. Do not use a pillow.

EMBLEMS & PATCHES

The Easiest Way to Upgrade Your Apparel Line

From hats to outerwear, patches instantly elevate your product offering. They're simple to apply, fast to order, and designed to help you increase perceived value without adding complexity.





Embroidered Patches

Get the classic embroidered look customers know and trust, without the time or complexity of traditional stitching. These premium patches press on in seconds and deliver consistent, high-quality results for hats, apparel, and accessories.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 30-45 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

Cover Sheet: 1/8" Foam Pad

HEATED UPPER PLATEN

Time: 21 seconds

Temp: 360°F

Pressure: Medium-Firm

Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

- Pre-heat bottom platen for 60 seconds and fabric for 20 seconds.

HEATED UPPER & LOWER PLATEN

Time: 30-45 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium-Firm

Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

CAP PRESS

Time: 20-30 seconds

Temp: 360°F

Pressure: Medium

Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

Note: For best application results, top and bottom heat is recommended.

FABRIC COMPATIBILITY

- 100% Cotton
- 100% Polyester
- Cotton/Poly Blends

PRESSURE SENSITIVE APPLICATION

APPLICATION

- Make sure the application area is thoroughly cleaned. Rubbing alcohol can be used.
- Remove paper backing and press firmly on the desired location.
- For best results, please allow at least 24 hours cure time.

FOR USE ON

Smooth, hard surfaces. Not recommended for surfaces that may contain an oil finish such as silicone or any type of outdoor goods.



3D Embroidered Patches

Add bold, raised dimension that makes any design stand out. With a premium 3D puff effect and simple heat application, these patches deliver high-end texture customers are willing to pay more for, no specialty embroidery required.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 60 seconds
Temp: 280°F Upper / 320°F Lower
Pressure: Medium
Peel: Cold
Cover Sheet: 1/4" Foam Pad

HEATED LOWER PLATEN

Time: 20 seconds
Temp: 250°F Upper / 320°F Lower
Pressure: Medium
Peel: Cold

Note: 3D Embroidered Patches require bottom heat.

FABRIC COMPATIBILITY

- 100% Cotton
- 100% Polyester
- Cotton/Poly Blends

PRESSURE SENSITIVE APPLICATION

APPLICATION

- Make sure the application area is thoroughly cleaned. Rubbing alcohol can be used.
- Remove paper backing and press firmly on the desired location.
- For best results, please allow at least 24 hours cure time.

FOR USE ON

Smooth, hard surfaces. Not recommended for surfaces that may contain an oil finish such as silicone or any type of outdoor goods.



Flexbroidery Patches

Achieve the look of true embroidery without thread, stitching, or limitations. Flexbroidery Patches replicate the appearance of direct embroidery on performance fabrics and hard-to-embroider garments, eliminating puckering altogether.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 20-30 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

Peel: Cold

Cover Sheet: 1/8" Foam Pad

HEATED UPPER PLATEN

Time: 15-20 seconds

Temp: 360°F

Pressure: Medium

Peel: Cold

Cover Sheet: FlexStyle® Silicone Pad

- Pre-heat bottom platen for 60 seconds and fabric for 15-20 seconds.

HEATED UPPER & LOWER PLATEN

Time: 12-15 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

Peel: Cold

Cover Sheet: FlexStyle® Silicone Pad

NOTES:

If substituting the 1/8" Foam Pad for the FlexStyle® Silicone Pad, please add 5-10 seconds dwell time.

For designs with fine small details, to prevent peeling before application, apply some pressure to the top of the carrier before removing the paper backing.

For a more matte finish, after removing the carrier, cover with a 1/8" Foam Pad or the FlexStyle® Silicone Pad and re-heat for 5-10 seconds.

CAP PRESS

Time: 20-30 seconds

Temp: 360°F

Pressure: Medium

Peel: Cold

Cover Sheet: FlexStyle® Silicone Pad

- For the first application, pre-heat bottom platen for 60 seconds and. Load cap and pre-heat 20 seconds. Cover with FlexStyle® Silicone Pad and press.

FABRIC COMPATIBILITY

- 100% Cotton
- 100% Polyester
- Cotton/Poly Blends



Woven Patches

Deliver ultra-detailed logos with a smooth, lightweight finish that embroidery can't achieve. Woven Patches are ideal for fine lines and small text, offering clean, precise branding for hats, apparel, and accessories.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 15-20 seconds
Temp: 280°F Upper / 320°F Lower
Pressure: Medium
Cover Sheet: 1/8" Foam Pad

HEATED UPPER PLATEN

Time: 15-20 seconds
Temp: 360°F
Pressure: Medium-Firm
Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

- Pre-heat bottom platen for 60 seconds and fabric for 20 seconds.

HEATED UPPER & LOWER PLATEN

Time: 15-20 seconds
Temp: 280°F Upper / 320°F Lower
Pressure: Medium-Firm
Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

- For best results, STAHL'S recommends applying with a heated lower platen.

CAP PRESS

Time: 15-20 seconds
Temp: 360°F
Pressure: Medium
Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

Instructions: Pre-heat the lower platen for 60 seconds. Load cap and pre-heat 20 seconds. Cover with Flex Pad and press.

FABRIC COMPATIBILITY

Heat Applied:

- 100% Cotton
- 100% Polyester
- Cotton/Poly Blends

Pressure Sensitive:

- Smooth surfaces on hard goods

PRESSURE SENSITIVE APPLICATION

APPLICATION

- Make sure the application area is thoroughly cleaned. Rubbing alcohol can be used.
- Remove paper backing and press firmly on the desired location.
- For best results, please allow at least 24 hours cure time.

FOR USE ON

Smooth, hard surfaces. Not recommended for surfaces that may contain an oil finish such as silicone or any type of outdoor goods.



Print Stitch Patches

Get the best of both worlds with a hybrid of sublimation and embroidery. Print Stitch Patches capture full-color, photo-realistic detail while maintaining adding stitched detailed for an embroidered look.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 30-45 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

Cover Sheet: 1/8" Foam Pad

HEATED UPPER PLATEN

Time: 21 seconds

Temp: 360°F

Pressure: Medium-Firm

Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

- Pre-heat bottom platen for 60 seconds and fabric for 20 seconds.

HEATED UPPER & LOWER PLATEN

Time: 30-45 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium-Firm

Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

CAP PRESS

Time: 20-30 seconds

Temp: 360°F

Pressure: Medium

Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

Note: For best application results, top and bottom heat is recommended.

FABRIC COMPATIBILITY

- 100% Cotton
- 100% Polyester
- Cotton/Poly Blends

PRESSURE SENSITIVE APPLICATION

APPLICATION

- Make sure the application area is thoroughly cleaned. Rubbing alcohol can be used.
- Remove paper backing and press firmly on the desired location.
- For best results, please allow at least 24 hours cure time.

FOR USE ON

Smooth, hard surfaces. Not recommended for surfaces that may contain an oil finish such as silicone or any type of outdoor goods.



FlexStyle® Emblems

Offer a premium 3D embellishment with a modern, embossed look that stands out on apparel and hard goods alike. With multiple style and finish options, FlexStyle® delivers a versatile, high-end appearance perfect for sports, promotional items, and recognition pieces.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 20-30 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

Peel: Cold

Cover Sheet: 1/8" Foam Pad

HEATED UPPER PLATEN

Time: 15-20 seconds

Temp: 360°F

Pressure: Medium

Peel: Cold

Cover Sheet: FlexStyle® Silicone Pad

- Pre-heat bottom platen for 60 seconds and fabric for 15-20 seconds.

HEATED LOWER PLATEN

Time: 12-15 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

Peel: Cold

Cover Sheet: FlexStyle® Silicone Pad

CAP PRESS

Time: 20-30 seconds

Temp: 360°F

Pressure: Medium

Peel: Cold

Cover Sheet: FlexStyle® Silicone Pad

- Pre-heat bottom platen for 60 seconds. Load cap and pre-heat 20 seconds. Cover with Pad and press.

FABRIC COMPATIBILITY

- 100% Cotton
- 100% Polyester
- Cotton/Poly Blends

Note: Due to the thickness/weight of Beveled emblems, lightweight fabrics are not recommended.

WASHING INFORMATION

FlexStyle® emblems will withstand at least 25 cold domestic washes. Hang dry.

NOTE

If substituting the 1/8" Foam Pad for the FlexStyle® Silicone Pad, please add 5-10 seconds dwell time.

PRESSURE SENSITIVE APPLICATION

APPLICATION

- Make sure the application area is thoroughly cleaned. Rubbing alcohol can be used.
- Remove paper backing and press firmly on the desired location.
- For best results, please allow at least 24 hours cure time.

FOR USE ON

Smooth, hard surfaces. Not recommended for surfaces that may contain an oil finish such as silicone or any type of outdoor goods.



PVC Patches

Durable, waterproof, and built for the outdoors, PVC patches add a rugged, premium touch to your gear. Perfect for hats, jackets, and backpacks, they stand up to everyday wear while adding a tactile, dimensional element.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 30 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

Cover Sheet: 1/8" Foam Pad

HEATED LOWER PLATEN

Time: 30 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

Cover Sheet: Flexstyle® Silicone Pad

HEATED UPPER PLATEN

Time: 25 seconds

Temp: 375°F

Pressure: Medium

Cover Sheet: Flexstyle® Silicone Pad

Note: Preheat bottom pad 25 seconds and Preheat Substrate 10 seconds

Note: If using Thermo-Tape to secure – remove after emblem cools completely.

PRESSURE SENSITIVE APPLICATION

APPLICATION

- Make sure the application area is thoroughly cleaned. Rubbing alcohol can be used.
- Remove paper backing and press firmly on the desired location.
- For best results, please allow at least 24 hours cure time.

FOR USE ON

Smooth, hard surfaces. Not recommended for surfaces that may contain an oil finish such as silicone or any type of outdoor goods.



Chenille Patches

Bring iconic varsity style to life with soft, fuzzy texture and eye-catching depth. Perfect for schools, teams, and fashion-forward apparel, Chenille Patches tap into vintage appeal while offering modern customization options.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 30 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

HEATED UPPER PLATEN

Time: 20 seconds

Temp: 360°F

Pressure: Medium

Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

- Pre-heat bottom platen for 60 seconds and fabric for 20 seconds.

HEATED UPPER & LOWER PLATEN

Time: 30 seconds

Temp: 280°F Upper / 320°F Lower

Pressure: Medium

COVER SHEET

FlexStyle® Silicone Pad or 1/8" Foam Pad

CAP PRESS

Time: 20-30 seconds

Temp: 360°F

Pressure: Medium

Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

Note: For best application results, top and bottom heat is recommended.

FABRIC COMPATIBILITY

- 100% Cotton
- 100% Polyester
- Cotton/Poly Blends

PRESSURE SENSITIVE APPLICATION

APPLICATION

- Make sure the application area is thoroughly cleaned. Rubbing alcohol can be used.
- Remove paper backing and press firmly on the desired location.
- For best results, please allow at least 24 hours cure time.

FOR USE ON

Smooth, hard surfaces. Not recommended for surfaces that may contain an oil finish such as silicone or any type of outdoor goods.



Genuine Leather Patches

Create a timeless, premium look with authentic laser-engraved leather that adds instant perceived value. Perfect for hats, bags, and accessories, these patches deliver a classic, rustic finish customers associate with quality craftsmanship.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 20-30 seconds
Temp: 280°F Upper / 320°F Lower
Pressure: Medium
Cover Sheet: 1/8" Foam Pad

HEATED LOWER PLATEN

Time: 20-30 seconds
Temp: 280°F Upper / 320°F Lower
Pressure: Medium
Cover Sheet: FlexStyle® Silicone Pad 1/8" Foam Pad

HEATED UPPER PLATEN

Time: 20 seconds
Temp: 360°F
Pressure: Medium
Cover Sheet: FlexStyle® Silicone Pad 1/8" Foam Pad

- Pre-heat bottom platen for 60 seconds and fabric for 20 seconds.

Cap press

Time: 20-30 seconds
Temp: 360°F
Pressure: Medium
Cover Sheet: FlexStyle® Silicone Pad 1/8" Foam Pad

- Pre-heat the lower platen for 60 seconds. Load cap and pre-heat 20 seconds. Cover with Flex Pad and press.

Note: For best application results, bottom heat is recommended.

FABRIC COMPATIBILITY

- 100% Cotton
- 100% Polyester
- Cotton/Poly Blends

PRESSURE SENSITIVE APPLICATION

APPLICATION

- Make sure the application area is thoroughly cleaned. Rubbing alcohol can be used.
- Remove paper backing and press firmly on the desired location.
- For best results, please allow at least 24 hours cure time.

FOR USE ON

Smooth, hard surfaces. Not recommended for surfaces that may contain an oil finish such as silicone or any type of outdoor goods.



Faux Leather Patches

Get the leather look customers love at a more approachable price point. Thin, flexible, and washable, Faux Leather Patches offer a premium aesthetic with the performance and versatility apparel brands need.

HEAT APPLY WITH A PROFESSIONAL HEAT PRESS

HOTRONIX® 360 IQ® HAT PRESS

Time: 15-20 seconds
Temp: 280°F Upper / 320°F Lower
Pressure: Medium
Cover Sheet: 1/8" Foam Pad

HEATED LOWER PLATEN

Time: 15-20 seconds
Temp: 280°F Upper / 320°F Lower
Pressure: Medium
Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

HEATED UPPER PLATEN

Time: 15-20 seconds
Temp: 360°F
Pressure: Medium
Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

- Pre-heat the lower platen for 60 seconds. Load cap and pre-heat 20 seconds. Cover with Flex Pad and press.

CAP PRESS

Time: 15-20 seconds
Temp: 360°F
Pressure: Medium
Cover Sheet: FlexStyle® Silicone Pad or 1/8" Foam Pad

- Pre-heat the lower platen for 60 seconds. Load cap and pre-heat 20 seconds. Cover with Flex Pad and press.

Note: For best application results, bottom heat is recommended.

FABRIC COMPATIBILITY

- 100% Cotton
- 100% Polyester
- Cotton/Poly Blends

PRESSURE SENSITIVE APPLICATION

APPLICATION

- Make sure the application area is thoroughly cleaned. Rubbing alcohol can be used.
- Remove paper backing and press firmly on the desired location.
- For best results, please allow at least 24 hours cure time.

FOR USE ON

Smooth, hard surfaces. Not recommended for surfaces that may contain an oil finish such as silicone or any type of outdoor goods.

look like the pros

Names + Numbers

- Save time & money with pre-printed player names & numbers.
- Phthalate-free plastisol ink.
- Match any uniform for a professional look.



Express Names™

individual personalization

OEKO
TEX®

STANDARD
100
22.HUS.46520
Hohenstein HTL



Personalize any apparel quickly and easily with pre-spaced customized names. Decorate front, back, left chest, leg, and sleeves. Pair with stock numbers for an easy, one-step application.

Available in straight, vertical, and arch formats and 1", 2", 2.5" and 3" letter heights.



font styles:

ARIAL

AVERTA

HANDEL GOTHIC

IMPRESS

ZAG BOLD

Athletic Script

Brush Script

HOMEWARD BOUND

REX BOLD

AVALON

FULL BLOCK

HERCULES

VOGUE

Application

Set Your Heat Press

Temperature: 365°F

Time: 4-6 Seconds

Pressure: Medium/Firm, 6-8 (60-80 psi)

1. Preheat Your Apparel

Place apparel on platen.

Press for 3-5 seconds.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel.

Close machine and press for 4-6 seconds.

3. Peel Transfer Carrier **WARM**

Open machine and peel off the backing after 5 seconds in a smooth, even motion.

Tips:

• Elasti Print® Application

If applying with Champ Pro numbers, you can apply Express Names™ at same time at 290°F, for 15 seconds.

• Names + Numbers

When applying with numbers, simply touch the edges of the transfer papers together for perfect spacing.



Stock Numbers

screen printed transfers

OEKO
TEX®
STANDARD
100
22.HUS.46520
Hohenheim HT1

**Stock
Number:**
Champ



2 Color Champ



Champ



Champ Pro™



Express Names™

Easily customize team uniforms using stock screen printed numbers! Cater to the entire team with a variety of digit sizes— 4", 6", 8", and 10", available in a range of colors using our popular ink formulas, Goof Proof® and Elasti Prints®. Specifically designed for heat-sensitive polyester uniforms, Champ Pro™ is exclusively offered in Elasti Prints® ink. For sizes under 3", use Express Names™ to input the necessary numbers in the name field.

Recommended Fabrics: Cotton, Polyester, Cotton/Poly Blends.

- 1 Preheat Your Apparel**
Place your apparel on the platen and press for 3-5 seconds.
- 2 Position Transfer & Press**
Place the transfer ink-side down on the apparel. Close and press.
- 3 Peel Transfer Carrier**
Peel off the backing in a smooth, even motion.

Application

CHAMP/EXPRESS NAMES™:

Set Your Heat Press

Temperature: 365°F
Time: 4-6 Seconds
Pressure: Medium, 6 (60 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press 3-5 seconds to remove moisture.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 4-6 seconds.

3. Peel Transfer Carrier **HOT**

Open machine and peel off the backing immediately in a smooth and even motion.

CHAMP PRO™:

Set Your Heat Press

Temperature: 290°F
Time: 15 Seconds
Pressure: Medium, 6 (60 psi)

1. Preheat Your Apparel

Place apparel on platen.
Press 3-5 seconds to remove moisture.

2. Position Your Transfer & Press

Place the transfer ink-side down on apparel. Close machine and press for 15 seconds.

3. Peel Transfer Carrier **COLD**

Open machine and peel off the backing, once the carrier is cold to the touch, in a smooth and even motion.

3 Ways to Order Numbers:

5 Packs



5 transfers of the same digit, size, and color. Perfect for teams who choose their own numbers or basketball teams where only 0-5 are ordered.

Express Packs



Perfect for teams. Numbers 0-9 in the same size and color. Includes 60 digits: 15 of #1, 5 each of #2-8, #0

Number Kits



Perfect for leagues! Comes with an organized box and contains digits to number 15 teams #1-15. Includes 315 digits: 120 #1, 30 each of #2-5 and #6/9, 15 each of #0, 7, 8

Best Value

Do not use a cover sheet or a pillow.


Number Styles

0123456789

Number Heights: 4", 6", 8", 10"

Champ

for cotton & cotton / poly blends



Champ Pro™

for 100% polyester performance wear



0123456789

Number Heights: 4", 6", 8", 10"

Champ 2 color

for cotton & cotton / poly blends



Champ Pro 2 color


for 100% polyester performance wear



0123456789

All Star

for cotton & cotton / poly blends




Number Heights: 4", 6", 8", 10"



Flag Packs
Add some
patriotism to
uniform sleeves.

2" x 3" USA



1.5" x 3" CAN



Heat Transfer Vinyl

OEKO
TEX®
STANDARD
100
22.HUS.46520
Hohenstein HTL



Transfer Express also carries your favorite CAD-CUT® vinyl from STAHL'S to make ordering the products you need that much easier! HTV is available in four sizes, in both sheets and rolls, to fit your craft or commercial vinyl cutting machines.

available finishes:

- Fashion-FILM® Electric
- Chroma Bling
- Glitter
- Chalkboard
- T-Shirt Pro
- EasyWeed
- PureHT™
- UltraWeed™
- Metallic
- UV Shift
- Glow
- Flock
- Brick

available sizes:

- Sheets: 12" x 12"
- Rolls: 12" x 36"
12" x 180"
12" x 360"



Grow Your Business

- The tools to empower you to grow.
- The education you need to become a confident, capable apparel decorator..
- Marketing materials to help you promote your business.



Easy View®


online designer



Meet your new art department! Easy View® empowers beginners or professionals to effortlessly design and bring their ideas to life. With categories catering to different needs, it opens doors for apparel decorators to enter new markets, serve existing clients better, and sell any job- even if customers don't have a specific design or artwork on hand. Layouts correspond to the new and best selling designs in the printed Idea Book®, so you can easily have your customer choose a layout then customize to their specifications. Easy View® contains over 6,000 layouts and 8,000 pieces of unique clip art, with digital mock ups included so the creative possibilities are endless! Save time and money with Easy View®.

using Easy View®

[Learn how](#) to use the Easy View® online T-shirt designer from the basics to becoming an expert. Easy View® is a free tool for Transfer Express customers to use to create custom screen printed and digital designs.



Must-Have Tools

your t-shirt business in a box

SUCCESS KIT

The Marketing Kit is designed to help you gain custom apparel sales. Whether you have a storefront or visit with customers at different locations, you can use the marketing kit to your advantage. The Marketing Kit showcases the Idea Book™, your hard copy of the Easy View® Online Designer to show your customers pre-made, customizable design templates.



the success kit includes:

- 2026 Idea Book
- Digital Asset Kit
- Easy View®
- Color Selector
- T-Shirts + Tote
- 3 Full Size Transfers
- Application Ruler
- What To Use When Chart
- Sizing T-Shirt
- Cover Sheets
- Mousepad
- Test Strips
- **\$15** Product credit

maximize your profits Gang Sheets

Make the most out of your transfer sheets by grouping designs together. Each different design that can fit on a sheet is cutting your bottom line costs per order. Know the sheet sizes and start increasing your profits!

- Plastisol Screen Printed Transfer: 11.5" x 14", Jumbo 12.5" x 17.5"
- UltraColor MAX™ DTF Transfer: Sm Sheet 12" x 22", Lg Sheet 24" x 22"
- UltraColor PRO™, Stretch™ : 11.5" x 18"
- Reflective: 12.5" x 17.5"

Screen printed transfers are priced per color.

UltraColor® transfers are digitally printed so there are no additional color costs.



Profitable Layouts



shirt tag layouts

Promote yourself! Branding shirts with custom tags promotes your business. Order a full sheet or you can always add them to empty space on your gang sheet.



league sponsor strips

Sponsor strip layouts save you money for league orders. Choose the ink color and letter height, and replace each line with the sponsor's names. Use Express Names™ for any unique team colors!



class, team, or event lists

Printing a shirt with a list of names or events is easy in the Easy View® Designer. Just upload your .txt file list of names and adjust the layout as needed for the number of names.



signature t-shirts

Shirts filled with a class, camp, or team's signatures are a special way to commemorate a year or season. Order a custom template and collect the signatures. We print it and you press to create a shirt that will bring memories!



custom clip art

If you use custom art in two or more order screen printed orders, make it a custom clip art. For a small fee, we will set it up in Easy View® for your own personal use. Once set up, all future screen printed orders get the less expensive, Easy Prints® pricing.

one stop shopping

Wholesale Apparel



Find stylish, top-quality apparel that will become canvases for decoration. Same-day shipping on most items, with ten warehouses nationwide - most items are received in 1-3 days. Low prices. No minimums. Free shipping on orders over \$300.

BELLA+CANVAS.

NLA | **NEXT LEVEL**
APPAREL

allmade.

DIST
RICT.

JERZEES.

Champion

Hanes

COMFORT COLORS®

American Apparel

RED KAP
1923

AUGUSTA
SPORTSWEAR BRANDS

GILDAN®

all you need is a Heat Press

There Are Heat Presses Then There's



You take your business seriously, so it's important to use equipment that delivers quality and consistency. Compared to hobby presses and import presses, professional presses give you:

- Laser-cut steel framework with robotic welds
- Flat, even platens for perfect pressure
- Center-applied pressure – no pinch points!
- Better heat retention and accurate temperature readings

								
	DUAL AIR FUSION	AIR FUSION	FUSION IQ	AUTO CLAM	360° IQ HAT PRESS	AUTO CAP	MAXX CLAM	CRAFT PRESS
Style	Shuttle	Swing	Draw/Swing	Clam	Clam	Clam	Clam	Clam
Platen Size	16" X 20"	16" X 20"	16" X 20"	16" X 20" 16" X 16" 11" X 15"	One size fits all	3.5"x6"	16" X 20" 15" X 15" 11" X 15"	9" X 12"
Dual Platen	✓							
Digital Display	Time Temperature Pressure	Time Temperature Pressure	Time Temperature Pressure	Time Temperature Pressure	Time Temperature Pressure	Time Temperature Pressure	Time Temperature	Time Temperature
Time Settings	4	4	4	2	2	2		
Auto Adjust Pressure™	✓	✓						
Pressure Settings	4	4	1	1	1	1		
Programmable Touch Screen	✓	✓	✓		✓			
Threadability™	✓	✓	✓	✓	360°			
Auto Open	✓	✓		✓	✓	✓		
Auto On/Off	✓	✓	✓		✓			
Quick Change Platens	✓	✓	✓	✓		✓		
Warranty	Premier	Premier	Premier	Premier	Premier	Premier	Limited	Limited
Price	\$8,550	\$4,995	\$2,850	\$2,050 \$1,700 \$1,350	\$2,050	\$1,155	\$1,450 \$1,150 \$850	\$375

A2Z Press

\$800



Value priced, swing-away heat press. Made in the U.S.A., it gives you reliable transfer printing results and a heat free workspace. Excellent choice for home-based businesses, crafters, new t-shirt businesses, or as a second press.

MerchMaker

9x12- \$349
15x15- \$599



Its lightweight, compact design fits any space, while the pull-out lower platen makes garment loading easy and heat-free. With precise temperature and pressure distribution, you can take the guesswork out of heat printing and confidently tackle more projects.

How To Order

Our Artwork Or Yours?

► transferexpress.com/getting-started

Whether you are creating your designs in Easy View® or sending us your custom art, it's quick and easy to order.

- Open Easy View® Designer
- Create your art by adding text, clip art, and/or a layout, or upload your own art.
- Choose Print Method
- Choose Transfer Type
- Choose Apparel Color
- Enter Quantity:
 - For a single image, enter how many of the image you need
 - If you set up a gang sheet, enter how many sheets you need
- Click "Done" and add to cart
- Complete checkout by entering shipping, and payment method



Art Proofs

Got a job with a lot of names, art changes, re-drawing or combining of files? Take the stress out by ordering an Art Proof. You will have the opportunity for 2 revisions and will be supplied with a high quality .PNG file for you to show to your customer. Place your transfer order with confidence.

Color Changes

Save money when ordering screen printed transfers of the same design in different colors. Color changes allow you to order the same design without being charged for multiple separate orders in different colors. Color changes can also be applied to multi-color designs.

For example, a local school wants the same design in gold on 15 navy shirts and in navy on 20 gold shirts, the color change allows you to receive pricing for 35 shirts, plus a \$20 color change fee, rather than placing two orders. To enter a color change, click on the 'Color Change' button under the Quantity field on the main design screen in Easy View®. Then click, 'Add Color Change' to enter the additional quantities and colors.



For \$20 you get the total quantity price break which will save you money every time.

Turnaround & Shipping

We are Transfer Express for a reason - we move fast. Once you place an order, we get the ball rolling. Our helpful and knowledgeable customer service is here to help you when needed.

SHIPS SAME DAY

ORDER BEFORE 9 AM ET

- UltraColor MAX™

Orders including EasyRip™ will add 1 production day

Additional production time for orders more than \$1,100. [Click here](#) for details.

ORDER BEFORE 1 PM ET

- Express Names™
- Stock Numbers and Flag Packs

SHIPS IN 1 DAY

ORDER BEFORE 1 PM ET

- 1-2 Color Screen Printed Transfers
- Personalized Idea Book™ & Marketing Kit
- Art Proofs
- Custom Clip Art

SHIPS IN 2 DAYS

ORDER BEFORE 1 PM ET

- 3+ Color Screen Printed Transfers
- UltraColor PRO™
- UltraColor Stretch™
- UltraColor Stretch™ w/ Blocker
- Reflective
- Decals

SHIPS IN 4 DAYS

ORDER BEFORE 1 PM ET

- AquaTru® Water-Based Screen Printed Transfers

For the most current turn times, visit:

► transferexpress.com/shipping-delivery

Shipping Charges

Shipping charges are special \$15 flat rate for all ground packages within the contiguous US. Excludes apparel orders and heat presses. Shipping costs are added to invoice only once.

New! UltraColor MAX™ orders totaling more than \$149 in the cart will get FREE Ground Shipping!

Speedy Air

Shipments outside of 2 day ground service are upgraded to our exclusive Speedy Air. Guaranteed 2 day shipping for \$15 flat rate!

Rushes

Screen Printed Transfers:

\$25 per color, per screen print order (must be in before 3 pm ET and is for a 1 day rush; under 500 sheets)

Full Color Transfers:

\$25 per order (must be in before 3 pm ET and is for a 1 day rush; under 500 pieces) No rushes available on UltraColor MAX™ orders.

Delivery

Orders ship F.O.B., Mentor, OH by FedEx or UPS (Canadian orders ship UPS). Quoted delivery times based on delivery of the common carrier. We cannot accept any liability for the failure of any carrier to fulfill a delivery time. We are not responsible for delays due to inclement weather or due to the carrier of your choice.

Handling Fee

A \$3.95 is assessed when using a third-party shipper.

Canadian Dealers

Promotional shipping rate of \$30.00 per package when shipping to a Canadian province. Deliveries are UPS Ground and may be subject to extended surcharges. \$30.00 promotional rate includes door-to-door delivery and brokerage fees.